

# Crimping tools and inserts for flexible cables

Small crimp tool, «K» with interchangeable inserts 1/2/A, 2/B, 2/C



Fig. 1



Fig. 2

| HUBER+SUHNER type | Item no. | Description                                             | Fig. |
|-------------------|----------|---------------------------------------------------------|------|
| 75_Z-0-0-50       | 22544754 | tool without inserts                                    | 1    |
| 75_Z-0-0-51       | 22544755 | tool with various inserts 1/2/A, 2/A, 2/C in wooden box | 2    |

Interchangeable inserts for small crimp tool



| HUBER +SUHNER type | Item no. | Cavity ID | Square cavity size for centre contact mm | Hexagonal cavity size for outer contact mm |
|--------------------|----------|-----------|------------------------------------------|--------------------------------------------|
| 76_Z-0-1-1         | 23000884 | 0.54/A    | 0.54                                     | 3.3                                        |
| 76_Z-0-2-20        | 22645153 | 1/4.95    | 0.75                                     | 4.95                                       |
| 76_Z-0-2-51        | 22544756 | 1/2/A     | 0.74/1.58                                | 3.3                                        |
| 76_Z-0-2-53        | 22645337 | 1/2.67    | 0.75                                     | 2.67                                       |
| 76_Z-0-3-51        | 22544757 | 2/B       | 1.58                                     | 5.5                                        |
| 76_Z-0-4-51        | 22544758 | 2/C       | 1.58                                     | 6.5                                        |

# Crimping tools and inserts for flexible cables

Large crimp tool, «G» with interchangeable inserts 1/2/A, 2/B, 2/C, 3/D



Fig. 1



Fig. 2

| HUBER+SUHNER type | Item no. | Description                                                                     | Fig. |
|-------------------|----------|---------------------------------------------------------------------------------|------|
| 75_Z-0-0-1        | 22543157 | tool without inserts                                                            | 1    |
| 76_Z-0-0-15       | 22543177 | tool with various inserts 1/2/A, 2/B, 2/C, 3/D and cutting insert in wooden box | 2    |

## Tool boxes



| HUBER+SUHNER type | Item no. | Description                                                                      |
|-------------------|----------|----------------------------------------------------------------------------------|
| 76_Z-0-0-9        | 22644671 | large tool box (empty)                                                           |
| 76_Z-0-0-11       | 22543175 | large tool box without tooling but including foam insert for tools and allen key |

## Table press with interchangeable inserts



| HUBER+SUHNER type | Item no. | Description                                      |
|-------------------|----------|--------------------------------------------------|
| 75_Z-0-0-2        | 22543158 | press without inserts (for inserts see page 534) |

# Crimping tools and inserts for flexible cables

Interchangeable inserts fitting large crimp tool and table press



| HUBER +SUHNER type | Item no. | Cavity ID   | Square cavity size for centre contact mm | Hexagonal cavity size for outer contact mm |
|--------------------|----------|-------------|------------------------------------------|--------------------------------------------|
| 76_Z-0-1-2         | 23000885 | 0.54/A      | 0.51                                     | 3.3                                        |
| 76_Z-0-2-1         | 22543181 | 1/2/A       | 0.74/1.58                                | 3.3                                        |
| 76_Z-0-2-8         | 22544191 | 1/4.95      | 0.7                                      | 4.95                                       |
| 76_Z-0-3-1         | 22543185 | 2/B         | 1.58                                     | 5.5                                        |
| 76_Z-0-3-9         | 22641133 | 1.22/1.22/B | 1.20/1.20                                | 5.5                                        |
| 76_Z-0-4-1         | 22543189 | 2/C         | 1.58                                     | 6.5                                        |
| 76_Z-0-4-8         | 22543190 | 1.22/1.22/C | 1.20/1.20                                | 6.5                                        |
| 76_Z-0-5-8         | 22543192 | 1.22/1.22/8 | 1.20/1.20                                | 8                                          |
| 76_Z-0-5-21        | 22543193 | 2/8.0       | 1.58                                     | 8                                          |
| 76_Z-0-6-1         | 22649051 | 3/8.65      | 2.38                                     | 8.65                                       |
| 76_Z-0-6-21        | 22543194 | 2/9.75      | 1.6                                      | 9.75                                       |
| 76_Z-0-7-1         | 22543195 | 3/D         | 2.38                                     | 10.7                                       |
| 76_Z-0-7-7         | 22543196 | 2/D         | 1.58                                     | 10.7                                       |
| 76_Z-0-7-8         | 22660322 | 2.5/D       | 2.48                                     | 10.7                                       |
| 76_Z-0-7-14        | 22544524 | 4/D         | 3.28                                     | 10.7                                       |
| 76_Z-0-10-14       | 23002630 | 12.4        |                                          | 12.4                                       |
| 76_Z-0-0-26        | 22645880 | 1/2.67      | 0.8                                      | 2.73                                       |
| 76_Z-0-3-26        | 84077169 | 1.22/B      | 1.2                                      | 5.5                                        |
| 76_Z-0-4-24        | 84077171 | 1.22/6.5    | 1.2                                      | 6.5                                        |
| 76_Z-0-5-22        | 84077161 | 1.22/8.0    | 1.2                                      | 8                                          |
| 76_Z-0-0-57        | 85008389 | 5.5         |                                          | 5.5                                        |
| 76_Z-0-4-23        | 84074473 | C           |                                          | 6.5                                        |
| 76_Z-0-12-1        | 85009833 | 14.5        |                                          | 14.5                                       |

# Crimping tools and inserts for flexible cables

Special insert and tools for large crimp tool and table press



| HUBER+SUHNER type | Item no. | Description                                                   |
|-------------------|----------|---------------------------------------------------------------|
| 76_Z-0-0-1        | 22543170 | cutting insert for cables up to 12 mm/4.720 in outer diameter |
| 76_Z-0-0-2        | 22543172 | spare blades for cutting insert (10 pieces per package)       |
| 76_Z-0-0-3        | 22543173 | support plate for bench mounting of large crimp tool          |

# SMA tool set for semi-rigid cable assembling

This tool set includes all tools required for assembling of SMA connectors.

The following additional tools are required for assembling of N and PC7 connectors to cables semi-rigid 0.141 and 0.086:  
74\_Z-0-3-29, 74\_Z-0-0-35, 74\_Z-0-0-66, 74\_Z-0-0-67, 74\_Z-0-3-4.

All tools and replacement parts can be ordered individually.  
The individual tools can also be used with the large soldering fixture W442, HUBER+SUHNER type 74\_Z-0-0-442, to be ordered separately.



| HUBER+SUHNER type | Item no. | Description                                        | Packaging                | Weight  |
|-------------------|----------|----------------------------------------------------|--------------------------|---------|
| 74_Z-0-0-70       | 22544725 | large tool set for SMA semi-rigid cable assembling | wooden box 366×188×51 mm | 1.41 kg |

Small tool set see 74\_Z-0-0-72.

## Content of set

| HUBER+SUHNER type | Item no. | W-no. * | Description                                           | Qty |
|-------------------|----------|---------|-------------------------------------------------------|-----|
| 74_Z-0-3-2        | 22543148 | W3-2    | stripping gauge for insulation semi-rigid 0.0141      | 1   |
| 74_Z-0-0-14       | 22543124 | W14     | locator tool, male and female                         | 1   |
| 74_Z-0-0-21       | 22543130 | W21     | torque wrench Ncm 100                                 | 1   |
| 74_Z-0-0-52       | 22544553 | W52     | dielectric insertion tool, for plugs                  | 1   |
| 74_Z-0-0-53       | 22544554 | W53     | dielectric insertion tool, for jacks                  | 1   |
| 74_Z-0-0-54       | 22544555 | W54     | contact holder for pins and sockets                   | 1   |
| 74_Z-0-0-55       | 22544516 | W55     | soldering gauge 0.25mm                                | 1   |
| 74_Z-0-0-56       | 22544517 | W56     | soldering gauge 0.4mm                                 | 1   |
| 74_Z-0-0-58       | 22544557 | W58     | soldering fixture                                     | 1   |
| 74_Z-0-0-59       | 22544558 | W59     | clamping inserts for semi-rigid 0.141, used with W58  | 2   |
| 74_Z-0-0-60       | 22544559 | W60     | clamping inserts for semi-rigid 0.086, used with W58  | 2   |
| 74_Z-0-0-63       | 22544562 | W63     | trim tool, for plugs without pin                      | 1   |
| 74_Z-0-0-68       | 22544715 | W68     | 1 set of blades with protector                        | 1   |
| 74_Z-0-0-81       | 22641423 | W81     | positioner for W164 assembling of coupling nuts (SMA) | 1   |
| 74_Z-0-0-142      | 22643462 | W142    | trim tool for removal of extended dielectric          | 1   |
| 74_Z-0-0-157      | 22643029 | W157    | cable stripping tool                                  | 1   |
| 74_Z-0-0-164      | 22643028 | W164    | trim tool for centre contact                          | 1   |
| 74_Z-0-0-368      | 23021264 | W368    | locator tool, used with W58                           | 1   |
| 74_Z-0-0-369      | 23021266 | W369    | locator tool, used with W58                           | 1   |


\* Identification marked on tool and referenced in assembling instruction, abbreviated notation derived from the HUBER+SUHNER type e.g. W58 from 74\_Z-0-0-58.

# SMA tool set for semi-rigid cable assembling

Assembly instruction for semi-rigid cables and SMA connectors

DOC-0000178687 for female connectors

DOC-0000179086 for male connectors



# N, PC7, BNC, TNC, tool set for semi-rigid cable assembling

This tool set includes all tools required for assembling of N, PC7, BNC, TNC connectors.

All tools and replacement parts can be ordered individually.

The individual tools can also be used with the large soldering fixture W442 HUBER+SUHNER type 74\_Z-0-0-442, to be ordered separately.



| HUBER+SUHNER type | Item no. | Description                                                | Packaging                | Weight  |
|-------------------|----------|------------------------------------------------------------|--------------------------|---------|
| 74_Z-0-0-71       | 22641350 | N, PC7, BNC, TNC, tool set for semi-rigid cable assembling | wooden box 366×188×51 mm | 1.22 kg |

## Content of set

| HUBER+SUHNER type | Item no. | W-no. * | Description                                                 | Qty |
|-------------------|----------|---------|-------------------------------------------------------------|-----|
| 74_Z-0-3-2        | 22543148 | W3-2    | stripping gauge for insulation semi-rigid 0.141             | 1   |
| 74_Z-0-3-4        | 22543150 | W3-4    | trim tool for remove protruding dielectric semi-rigid 0.141 | 1   |
| 74_Z-0-0-29       | 22543138 | W29     | dielectric insertion tool for insulators                    | 1   |
| 74_Z-0-0-35       | 22544282 | W35     | soldering gauge 0.45 mm/0.018 in                            | 1   |
| 74_Z-0-0-58       | 22544557 | W58     | soldering fixture                                           | 1   |
| 74_Z-0-0-59       | 22544558 | W59     | clamping inserts for semi-rigid 0.141, used with W58        | 2   |
| 74_Z-0-0-60       | 22544559 | W60     | clamping inserts for semi-rigid 0.086, used with W58        | 2   |
| 74_Z-0-0-66       | 22544616 | W66     | locator tool                                                | 1   |
| 74_Z-0-0-67       | 22544640 | W67     | contact holder for pins and sockets                         | 1   |
| 74_Z-0-0-68       | 22544715 | W68     | 1 set of blades with protector                              | 1   |
| 74_Z-0-0-81       | 22641423 | W81     | positioner for assembly of coupling nuts                    | 1   |
| 74_Z-0-0-157      | 22643029 | W157    | cable stripping tool                                        | 1   |
| 74_Z-0-0-164      | 22643028 | W164    | trim tool for centre contact                                | 1   |

\* Identification marked on tool and referenced in assembling instruction, abbreviated notation derived from the HUBER+SUHNER type e.g. W58 from 74\_Z-0-0-58.


# N, PC7, BNC, TNC, tool set for semi-rigid cable assembling

Assembly instruction for semi-rigid cables and N, BNC, TNC, PC7 connectors

DOC-0000180866 for series N connectors

DOC-0000179121 for series BNC - TNC connectors

DOC-0000180866 for series N - PC7 connectors



# SMA tool set for semi-rigid cable assembling

This tool set includes all tools required for assembling of SMA connectors.

The following additional tools are required for assembling of N and PC7 connectors to semi-rigid cables 0.141 and 0.086: 74\_Z-0-3-2, 74\_Z-0-3-4, 74\_Z-0-0-29, 74\_Z-0-0-35, 74\_Z-0-0-66, 74\_Z-0-0-67.

All tools and replacement parts can be ordered individually. The individual tools can also be used with the large soldering fixture W442, HUBER+SUHNER type 74\_Z-0-0-442, to be ordered separately.



| HUBER+SUHNER type | Item no. | Description                                        | Packaging                | Weight  |
|-------------------|----------|----------------------------------------------------|--------------------------|---------|
| 74_Z-0-0-72       | 22544747 | small tool set for SMA semi-rigid cable assembling | wooden box 366×188×51 mm | 1.13 kg |

Large tool set see 74\_Z-0-0-70.

## Content of set

| HUBER+SUHNER type | Item no. | W-no. * | Description                                          | Qty |
|-------------------|----------|---------|------------------------------------------------------|-----|
| 74_Z-0-0-14       | 22543124 | W14     | locator tool, male and female                        | 1   |
| 74_Z-0-0-52       | 22544553 | W52     | dielectric insertion tool, for plugs                 | 1   |
| 74_Z-0-0-53       | 22544554 | W53     | dielectric insertion tool, for jacks                 | 1   |
| 74_Z-0-0-54       | 22544555 | W54     | contact holder for pins and sockets                  | 1   |
| 74_Z-0-0-55       | 22544516 | W55     | soldering gauge 0.25mm                               | 1   |
| 74_Z-0-0-56       | 22544517 | W56     | soldering gauge 0.4mm                                | 1   |
| 74_Z-0-0-58       | 22544557 | W58     | soldering fixture                                    | 1   |
| 74_Z-0-0-59       | 22544558 | W59     | clamping Inserts for semi-rigid 0.141, used with W58 | 2   |
| 74_Z-0-0-60       | 22544559 | W60     | clamping Inserts for semi-rigid 0.086, used with W58 | 2   |
| 74_Z-0-0-68       | 22544715 | W68     | 1 set of blades with protector                       | 1   |
| 74_Z-0-0-142      | 22643462 | W142    | trim tool for removal of extended dielectric         | 1   |
| 74_Z-0-0-157      | 22643029 | W157    | cable stripping tool                                 | 1   |
| 74_Z-0-0-368      | 23021264 | W368    | locator tool, used with W58                          | 1   |
| 74_Z-0-0-369      | 23021266 | W369    | locator tool, used with W58                          | 1   |


\* Identification marked on tool and referenced in assembling instruction, abbreviated notation derived from the HUBER+SUHNER type e.g. W58 from 74\_Z-0-0-58.

# SMA tool set for semi-rigid cable assembling

Assembly instruction for semi-rigid cables and SMA connectors

DOC-0000178687 for female connectors


DOC-0000179086 for male connectors



# Soldering tool and soldering support

The soldering tool consist of several different parts.

Depending on the requirement, the individual items can be combined. The parts can be ordered separately.



## Basic equipment

### Large soldering fixture W442

Alternative see small fixture W58

| HUBER+SUHNER type | Item no. | W-no.* | Description                           | Comments                                                                                                         |
|-------------------|----------|--------|---------------------------------------|------------------------------------------------------------------------------------------------------------------|
| 74_Z-0-0-442      | 23024588 | W442   | soldering fixture                     | can also be used without soldering support W374, e.g. mounted/assembling on a table                              |
| 74_Z-0-0-374      | 23022146 | W374   | support for soldering fixture         | can be used with the new version of the soldering fixture W58, the new version contains two additional scrwholes |
| 74_Z-0-0-443      | 23024584 | W443   | positioning locator tool              | for a positioning of the locator tool- free from backflash                                                       |
| 74_Z-0-0-441      | 23024586 | W441   | collecting tank for coolant or flux   | collecting tank for coolant or flux                                                                              |
| 74_Z-0-0-375      | 23022145 | W375   | soldering fixture for centre contacts | supporting tool, to solder the cable into the centre contact                                                     |

## Additional components

### Locator tool, adapted for W442/W58

for the appropriate connector-interface see list

| HUBER+SUHNER type | Item no. | W-no. * | For series |
|-------------------|----------|---------|------------|
| 74_Z-0-0-62       | 22544561 | W62     | SMA        |
| 74_Z-0-0-66       | 22544616 | W66     | N          |
| 74_Z-0-0-209      | 22645585 | W209    | BMA plug   |
| 74_Z-0-0-210      | 22645586 | W210    | BMA jack   |
| 74_Z-0-0-231      | 22646131 | W231    | SK plug    |
| 74_Z-0-0-232      | 22646132 | W232    | SK jack    |
| 74_Z-0-0-368      | 23021264 | W368    | SMA female |
| 74_Z-0-0-369      | 23021266 | W369    | SMA male   |
| 74_Z-0-0-390      | 23035218 | W390    | QN         |
| 74_Z-0-0-391      | 23035220 | W391    | QN         |

### Clamping inserts, adapted for W442/W58

for the appropriate connector-interface see list

| HUBER+SUHNER type | Item no. | W-no. * | For series                    |
|-------------------|----------|---------|-------------------------------|
| 74_Z-0-0-59       | 22544558 | W59     | BMA, N, SMA, semi-rigid 0.141 |
| 74_Z-0-0-60       | 22544559 | W60     | BMA, N, SMA, semi-rigid 0.086 |
| 74_Z-0-0-133      | 22643022 | W133    | BMA, N, SMA, semi-rigid 0.047 |
| 74_Z-0-0-233      | 22646133 | W233    | SK, semi-rigid 0.118          |
| 74_Z-0-0-364      | 23019268 | W364    | MULTIFLEX_86                  |
| 74_Z-0-0-365      | 23019269 | W365    | MULTIFLEX_141, SUCOFORM_141   |

\* Identification marked on tool and referenced in assembling instruction, abbreviated notation derived from the HUBER+SUHNER type e.g. W58 from 74\_Z-0-0-58.

## Selection of common and helpful assembly tools

| HUBER+SUHNER type          | Item no.             | W-no.<br>* | For series and<br>cables         | Description                                                                       | Works with<br>tool of W-no. | Picture                                                                               |
|----------------------------|----------------------|------------|----------------------------------|-----------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| 74_Z-0-0-12                | 22642718             |            |                                  | small hand saw                                                                    |                             |    |
| 74_Z-0-0-13                | 22644241             |            |                                  | replacement saw blade for<br>74_Z-0-0-12                                          |                             |    |
| 74_Z-0-0-14                | 22543124             | W14        | SMA                              | locator tools for contact<br>and insulators                                       |                             |    |
| 74_Z-0-0-21                | 22543130             | W21        | SMA, PC3.5                       | torque wrench<br>100 Ncm                                                          |                             |    |
| 74_Z-0-0-24                | 22543133             |            | SMA                              | tap drill for SMA (1/4-36<br>UNS-2B thread)                                       |                             |    |
| 74_Z-0-0-29                | 22543138             | W29        | N                                | dielectric insertion tool for<br>insulators                                       |                             |    |
| 74_Z-0-0-30                | 22543139             |            | MCX, MMBX                        | assembly tool for right<br>angle connectors for<br>decoupling and cap<br>mounting |                             |  |
| 74_Z-0-0-35                | 22544282             | W35        | N                                | soldering gauge<br>0.45 mm/0.018 in                                               |                             |  |
| 74_Z-0-0-52                | 22544553             | W52        | SMA plugs                        | dielectric insertion tool                                                         |                             |  |
| 74_Z-0-0-53                | 22544554             | W53        | SMA jacks                        | dielectric insertion tool                                                         |                             |  |
| 74_Z-0-0-54                | 22544555             | W54        | SMA                              | contact holder for pins and<br>sockets                                            |                             |  |
| 74_Z-0-0-55<br>74_Z-0-0-56 | 22544516<br>22544517 | W55<br>W56 | SMA<br>SMA                       | soldering gauge 0.20 mm<br>soldering gauge 0.40 mm                                | W58/W442<br>W58/W442        |  |
| 74_Z-0-0-58                | 22544557             | W58        | BMA, SK, N, SMA                  | soldering fixture                                                                 | W374/W55/<br>W56            |  |
| 74_Z-0-0-59                | 22544558             | W59        | BMA, N, SMA,<br>semi-rigid 0.141 | clamping inserts                                                                  | W58/W442                    |  |
| 74_Z-0-0-60                | 22544559             | W60        | BMA, N, SMA,<br>semi-rigid 0.086 | clamping inserts                                                                  | W58/W442                    |  |

# Selection of common and helpful assembly tools

| HUBER+SUHNER type | Item no. | W-no.<br>* | For series and<br>cables                                                         | Description                                                   | Works with<br>tool of W-no. | Picture                                                                               |
|-------------------|----------|------------|----------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| 74_Z-0-0-62       | 22544561 | W62        | SMA                                                                              | locator tool for SMA<br>plugs without pin                     | W58/W442                    |    |
| 74_Z-0-0-63       | 22544562 | W63        | SMA                                                                              | trim tool for SMA plugs<br>without pin                        |                             |    |
| 74_Z-0-0-66       | 22544616 | W66        | N                                                                                | locator tool                                                  | W58/W442                    |    |
| 74_Z-0-0-67       | 22544640 | W67        | N                                                                                | contact holder for pins and<br>sockets                        |                             |    |
| 74_Z-0-0-68       | 22544715 | W68        | BMA, SK, N, SMA                                                                  | 1 set of blades with<br>protector                             |                             |    |
| 74_Z-0-0-75       | 22544807 | W75        | SK, SMA                                                                          | assembly tool for hermetic<br>jacks                           |                             |    |
| 74_Z-0-0-81       | 22641423 |            | SK, SMA                                                                          | positioner for assembly of<br>coupling nuts                   |                             |   |
| 74_Z-0-0-89       | 22644721 | W89        | 716                                                                              | screwdriver for female<br>centre contacts                     | W79                         |  |
| 74_Z-0-0-115      | 22642492 |            |                                                                                  | syringe for casting<br>compound capacity 3.5<br>ccm           |                             |  |
| 74_Z-0-0-116      | 22642493 |            |                                                                                  | casting compound (set of<br>two tubes: resin and<br>hardener) |                             |  |
| 74_Z-0-0-133      | 22643022 | W133       | BMA, N, SMA,<br>semi-rigid 0.047                                                 | clamping inserts                                              | W58/W442                    |  |
| 74_Z-0-0-142      | 22643462 | W142       | SMA                                                                              | trim tool for removal of<br>extended dielectric               |                             |  |
| 74_Z-0-0-157      | 22643029 | W157       | BMA, SK, N, SMA,<br>semi-rigid 0.047,<br>0.186, 0.141,<br>SUCOFORM_86<br>and 141 | cable stripping tool                                          |                             |  |
| 74_Z-0-0-160      | 22643514 |            | semi-rigid 0.047,<br>0.086, 0.141                                                | replacement cutting wheels<br>set                             | W157                        |  |
| 74_Z-0-0-164      | 22643028 | W164       | BMA, N, SMA,<br>semi-rigid 0.086,<br>0.141                                       | trim tool for centre contacts                                 | W245                        |  |
| 74_Z-0-0-177      | 22644541 | W177       | 16 SMB, C, S                                                                     | tool for cap mounting                                         |                             |  |


# Selection of common and helpful assembly tools

| HUBER+SUHNER type                                            | Item no.                                     | W-no.<br>* | For series and<br>cables                                                     | Description                                            | Works with<br>tool of W-no. | Picture                                                                               |
|--------------------------------------------------------------|----------------------------------------------|------------|------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| 74_Z-0-0-196<br>74_Z-0-0-197<br>74_Z-0-0-198<br>74_Z-0-0-397 | 22645359<br>22645360<br>22645361<br>84005300 |            | semi-rigid 0.047<br>semi-rigid 0.086<br>semi-rigid 0.141<br>semi-rigid 0.118 | replacement support cover                              | W157                        |    |
| 74_Z-0-0-206<br>74_Z-0-0-207<br>74_Z-0-0-208                 | 22645364<br>22645363<br>22645362             |            | semi-rigid 0.047<br>semi-rigid 0.086<br>semi-rigid 0.141                     | replacement cutting wheels                             | W157                        |    |
| 74_Z-0-0-209                                                 | 22645585                                     | W209       | BMA plug                                                                     | locator tool                                           | W58/W442                    |    |
| 74_Z-0-0-210                                                 | 22645586                                     | W210       | BMA jack                                                                     | locator tool                                           | W58/W442                    |    |
| 74_Z-0-0-211                                                 | 22645591                                     |            | BMA hermetic seal                                                            | soldering fixture for<br>hermetic seal                 |                             |    |
| 74_Z-0-0-213                                                 | 22645593                                     | W213       | BMA                                                                          | removal tool for receptacles<br>with snap-in mechanism |                             |    |
| 74_Z-0-0-214                                                 | 22645579                                     |            | BMA hermetic seal                                                            | torque wrench 200 Ncm                                  |                             |   |
| 74_Z-0-0-225                                                 | 22645861                                     |            | MMCX                                                                         | decoupling and cap<br>mounting                         |                             |  |
| 74_Z-0-0-226                                                 | 22646136                                     | W226       | SK                                                                           | soldering fixture for glass<br>bead                    |                             |  |
| 74_Z-0-0-227                                                 | 22646137                                     | W227       | SK                                                                           | soldering fixture for glass<br>bead                    |                             |  |
| 74_Z-0-0-228                                                 | 22646138                                     | W228       | SK                                                                           | assembling tool for<br>dielectric bead                 |                             |  |
| 74_Z-0-0-229                                                 | 22646139                                     | W229       |                                                                              | tap drill (thread 1/4-36<br>UNS for blind hole thread) |                             |  |
| 74_Z-0-0-230                                                 | 22646130                                     | W230       | SK                                                                           | step drill (only if sliding<br>contacts are not used)  |                             |  |
| 74_Z-0-0-231                                                 | 22646131                                     | W231       | SK plug                                                                      | locator tool                                           | W58/W442                    |  |
| 74_Z-0-0-232                                                 | 22646132                                     | W232       | SK jack                                                                      | locator tool                                           | W58/W442                    |  |
| 74_Z-0-0-233                                                 | 22646133                                     | W233       | SK, semi-rigid 0.118                                                         | clamping inserts                                       | W58/W442                    |  |
| 74_Z-0-0-234                                                 | 22646134                                     | W234       | SK, semi-rigid 0.118                                                         | replacement cutting wheels                             | W157                        |  |

# Selection of common and helpful assembly tools

| HUBER+SUHNER type | Item no. | W-no.<br>* | For series and<br>cables        | Description                                                                                     | Works with<br>tool of W-no. | Picture                                                                               |
|-------------------|----------|------------|---------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| 74_Z-0-0-235      | 22646135 | W235       | SK                              | step drill (only if sliding<br>contacts are not used)                                           |                             |    |
| 74_Z-0-0-238      | 22646071 |            |                                 | tap drill (thread 5/8-24<br>UNEF)                                                               |                             |    |
| 74_Z-0-0-246      | 22646873 | W246       | SMA                             | jacket remover for<br>semi-rigid and Sucoform<br>cables, after cutting and<br>braking of jacket | W157/W246                   |    |
| 74_Z-0-0-264      | 22646290 | W264       | SK, semi-rigid 0.118            | trim tool for centre<br>conductor                                                               |                             |    |
| 74_Z-0-0-265      | 22646291 | W265       | SK                              | spare blade for W264                                                                            |                             |    |
| 74_Z-0-0-270      | 22648901 | W270       | 1.0/2.3                         | removal tool for 1.0/2.3<br>inserts                                                             |                             |   |
| 74_Z-0-0-272      | 22648614 |            | MMCX                            | decoupling and cap<br>mounting for 11_<br>MMCX, 16_MMCX<br>connectors                           |                             |  |
| 74_Z-0-0-350      | 23004135 |            | MMCX                            | removal tool                                                                                    |                             |  |
| 74_Z-0-0-360      | 23023444 | W360       | QMA                             | locator tool                                                                                    |                             |  |
| 74_Z-0-0-364      | 23019268 | W364       | MULTIFLEX_86                    | clamping inserts                                                                                | W58/W442                    |  |
| 74_Z-0-0-365      | 23019269 | W365       | MULTIFLEX_141,<br>SUOCOFORM_141 | clamping inserts                                                                                | W58/W442                    |                                                                                       |
| 74_Z-0-0-368      | 23021264 | W368       | SMA female                      | locator tool                                                                                    | W58/W442                    |  |
| 74_Z-0-0-369      | 23021266 | W369       | SMA male                        | locator tool                                                                                    | W58/W442                    |  |
| 74_Z-0-0-374      | 23022146 | W374       | BMA, SK, SMA, N                 | support for soldering fixture                                                                   | W58/W442                    |  |

## Selection of common and helpful assembly tools

| HUBER+SUHNER type | Item no. | W-no.<br>* | For series and<br>cables            | Description                                     | Works with<br>tool of W-no. | Picture                                                                               |
|-------------------|----------|------------|-------------------------------------|-------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| 74_Z-0-0-375      | 23022145 | W375       | BMA, SK, SMA, N                     | soldering fixture for centre<br>contacts        | W442                        |    |
| 74_Z-0-0-390      | 23035218 | W390       | QN                                  | locator tool for 11_QN,<br>16_QN                | W58/W442                    |    |
| 74_Z-0-0-391      | 23035220 | W391       | QN                                  | locator tool for 24_QN                          | W58/W442                    |    |
| 74_Z-0-0-437      | 23023494 |            | MMBX 32_adapt-<br>ers within series | assembly tool                                   |                             |    |
| 74_Z-0-0-441      | 23024586 | W441       | BMA, SK, SMA, N                     | collecting tank for coolant<br>or flux          | W374                        |   |
| 74_Z-0-0-442      | 23024588 | W442       | BMA, SK, SMA, N                     | soldering fixture                               | W374                        |  |
| 74_Z-0-0-443      | 23024584 | W443       | BMA, SK, SMA, N                     | positioning locator tool                        | W442                        |  |
| 74_Z-0-0-459      | 84032400 | W459       | QMA, QN                             | decoupling tool for high<br>density application |                             |  |
| 74_Z-0-0-461      | 84029787 | W461       | QMA waterproof                      | suitable for semi-rigid<br>cables               |                             |  |
| 74_Z-0-0-488      | 84101887 | W488       | MBX 32- adapters<br>within series   | assembly and disassembly<br>tool                |                             |  |
| 74_Z-0-0-555      | 84020011 | W555       | MMPX                                | decoupling tool (distance<br>washers included)  |                             |  |
| 74_Z-0-0-556      | 84031617 | W556       | MMPX                                | distance washers (for<br>replacement)           |                             |  |

## Selection of common and helpful assembly tools

| HUBER+SUHNER type | Item no. | W-no.<br>* | For series and<br>cables    | Description                                   | Works with<br>tool of W-no. | Picture                                                                             |
|-------------------|----------|------------|-----------------------------|-----------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| 74_Z-0-0-557      | 84032418 |            | MMBX                        | decoupling tool                               |                             |  |
| 74_Z-0-0-622      | 85022707 | W622       | MFBX                        | coupling tool                                 |                             |  |
| 74_Z-0-3-2        | 22543148 | W3-2       | SMA, N, semi-rigid<br>0.141 | stripping gauge for<br>insulation             |                             |  |
| 74_Z-0-3-4        | 22543150 | W3-4       | N, semi-rigid<br>0.0141     | trim tool for remove<br>protruding dielectric |                             |  |

\* Identification marked on tool and referenced in assembling instruction, abbreviated notation derived from the HUBER+SUHNER type e.g. W58 from 74\_Z-0-0-58.

# Torque wrenches



Box-spanner



Torque wrench (standard style)

| HUBER+SUHNER type | Item no. | Suitable for series | Torque Ncm | Opening WAF mm | Notes             |
|-------------------|----------|---------------------|------------|----------------|-------------------|
| 74_Z-0-0-504      | 85020152 | 4.3-10              | 500        | 22.0           | standard style    |
| 74_Z-0-0-321      | 22651994 | N                   | 100        | 19.0           | standard style    |
| 74_Z-0-0-193      | 22645085 | N                   | 100        | 20.0           | standard style    |
| 74_Z-0-0-330      | 22658130 | N                   | 100        | 18.0           | standard style    |
| 74_Z-0-0-663      | 85101096 | NEX10               | 150        | 11.0           | standard style    |
| 74_Z-0-0-174      | 22643898 | SK                  | 130        | 8.0            | standard style    |
| 74_Z-0-0-189      | 22644368 | SK hermetic         | 200        | 8.0            | standard style    |
| 74_Z-0-0-77       | 22544820 | SMA                 | 100        | 8.0            | box spanner style |
| 74_Z-0-0-21       | 22543130 | SMA/PC3.5           | 100        | 8.0            | standard style    |
| 74_Z-0-0-79       | 22642374 | SMA economic        | 45         | 8.0            | standard style    |
| 74_Z-0-0-80       | 22544821 | SMA hermetic        | 195        | 7.0            | standard style    |
| 74_Z-0-0-45       | 22544232 | SMC                 | 30         | 6.0            | standard style    |
| 74_Z-0-0-192      | 22645084 | TNC                 | 100        | 15.0           | standard style    |
| 74_Z-0-0-373      | 23021864 | TNC                 | 100        | 14.0           | standard style    |
| 74_Z-0-0-511      | 84151106 | TNC                 | 260        | 14.0           | standard style    |

## Precision torque wrench

- In plastic box
- With calibration certificate



| HUBER+SUHNER type | Item no. | For series     | Torque Ncm | Opening WAF mm | Notes                      |
|-------------------|----------|----------------|------------|----------------|----------------------------|
| 74_Z-0-0-492      | 84104509 | SMA, PC3.5, SK | 90         | 8.0            | precision (standard style) |